IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Withdrawn) A variable-optical-characteristic optical element characterized by using at least two selected from the group consisting of electrostatic force, electromagnetic force, a piezoelectric effect, magnetostriction, a fluid pressure, a magnetic field, an electromagnetic wave, a temperature change, and a photomechanical effect.
- 2. (Withdrawn) A variable mirror characterized by using at least two selected from the group consisting of electrostatic force, electromagnetic force, a piezoelectric effect, magnetostriction, a fluid pressure, a magnetic field, an electromagnetic wave, a temperature change, and a photomechanical effect.
- 3. (Withdrawn) A variable-focus lens characterized by using at least two selected from the group consisting of electrostatic force, electromagnetic force, a piezoelectric effect, magnetostriction, a fluid pressure, a magnetic field, an electromagnetic wave, a temperature change, and a photomechanical effect.
- 4. (Withdrawn) A variable-optical-characteristic optical element capable of achieving high-precision optical deflection by combined use of two or more different driving methods to change optical deflection thereof, wherein each driving method is capable of achieving a different optical deflection change.
- 5. (Currently Amended) A variable-optical-characteristic optical element, comprising: a power source and a driving circuit for driving said variable-optical-characteristic optical element, wherein:

said power source or driving circuit includes a booster member that generates for ereating a voltage necessary [[for]] in said driving circuit, and

said variable-optical-characteristic optical element is capable of achieving optical deflection.

NISHIOKA et al. — 09/957,471 Attorney Docket: 009523-0283651

- 6. (Currently Amended) A variable-optical-characteristic optical element according to claim 5, wherein electrostatic force or [[a]] piezoelectric effect is used for driving said variable-optical-characteristic optical element.
- 7. (Withdrawn) A variable-optical-characteristic optical element comprising a deformable optical surface and a member for creating a magnetic field, wherein a substrate of said optical surface is made of a magnetostrictive material, and said member is capable of changing an intensity of the magnetic field.
- 8. (Withdrawn) A variable-optical-characteristic mirror that uses a magnetostrictive material and comprising a deformable optical surface.
- 9. (Withdrawn) A variable-optical-characteristic lens comprises a deformable optical surface and a member for creating a magnetic field, wherein a substrate of said optical surface is made of a magnetostrictive material, and said member is capable of changing an intensity of the magnetic field.
- 10. (Withdrawn) A variable-optical-characteristic optical element comprising a deformable optical surface, wherein a transparent member for covering a whole deformable portion thereof is provided near said optical surface.
- 11. (Withdrawn) A variable-optical-characteristic optical element according to claim 10 which is a variable mirror or a unifocus mirror.
- 12. (Withdrawn) A variable-optical-characteristic optical element comprising a light source for driving said variable-optical-characteristic optical element, wherein a substance having a photomechanical effect is used for deformation of an optical surface, and optical deflection changes by deformation of the optical surface.
- 13. (Withdrawn) A variable-focus lens comprising a light source for driving said varifocal lens, wherein a substance having a photomechanical effect is used for deformation of an optical surface, and optical deflection changes by deformation of the optical surface.

NISHIOKA et al. - 09/957,471 Attorney Docket: 009523-0283651

- 14. (Withdrawn) A variable mirror characterized by using a photomechanical effect.
- 15. (Withdrawn) A variable-optical-characteristic optical element characterized by having at least two different kinds of light sources and using a photomechanical effect.
- 16. (Withdrawn-Currently amended) An optical apparatus comprising a variable-optical -characteristic optical element, wherein said variable-optical-characteristic optical element comprises an optical surface, and a space that faces a whole portion thereof that is to be deformed is closed up with a transparent member and a mechanical member, which is characterized in that the variable-optical-characteristic optical element is a variable mirror.
- 17. (Withdrawn-Currently amended) An optical-apparatus comprising a variable-optical-characteristic optical element, wherein said variable-optical-characteristic optical element comprises an optical surface, and a space that faces a whole portion thereof that is to be deformed is airtightly closed up with a transparent member and a mechanical member, which is characterized in that the variable-optical-characteristic optical element is a variable mirror.
- 18. (Original) An optical apparatus according to claim 16, which is characterized by using an air-permeable mechanical member or transparent member.
- 19. (Canceled)
- 20. (Original) An optical apparatus according to claim 18, which is characterized in that the variable-optical-characteristic optical element is a variable mirror.
- 21. (Previously presented) A variable-optical-characteristic optical element having a deformable optical surface, which further comprises a control system for driving said variable-optical-characteristic optical element, wherein said control system includes a booster member for creating a voltage necessary for driving said variable-optical-characteristic optical element.
- 22. (Previously presented) The variable-optical-characteristic optical element according to claim 21, which is a varifocal lens or a variable mirror.

NISHIOKA et al. - 09/957,471 Attorney Docket: 009523-0283651

- 23. (Previously presented) The variable-optical-characteristic optical element according to claim 21, which is a varifocal lens or a variable mirror, each using a fluid.
- 24. (Previously presented) An imaging system, comprising an image pickup device and an imaging optical system for which a variable-optical-characteristic optical element as recited in any one of claims 5, 21, 22 and 23 is used.
- 25. (Previously presented) An imaging system, comprising an image pickup device and an imaging optical system including a variable-optical-characteristic optical element as recited in any one of claims 5, 21, 22 and 23, wherein said variable-optical-characteristic optical element is used for autofocusing of said imaging optical system.
- 26. (Previously presented) A cellular phone, comprising an image pickup device and an imaging optical system including a variable-optical-characteristic optical element as recited in any one of claims 5, 21, 22 and 23, wherein said variable-optical-characteristic optical element is used for autofocusing of said imaging optical system.
- 27. (Withdrawn) The variable-optical-characteristic optical element according to claim 10 or 11, wherein said transparent member is a lens.
- 28. (Withdrawn) An imaging system, comprising an imaging optical system including a variable-optical-characteristic optical element as recited in claim 10 or 11.
- 29. (Withdrawn) An optical apparatus, comprising a variable-optical-characteristic optical element having a deformable optical surface, wherein a space including a whole deformable portion is closed up with a transparent member and a mechanical member.
- 30. (Withdrawn) An optical apparatus, comprising a variable-optical-characteristic optical element having a deformable optical surface, wherein a space including a whole deformable portion is airtightly closed up with a transparent member and a mechanical member.

NISHIOKA et al. — 09/957,471 Attorney Docket: 009523-0283651

10-07-2005 12:33

- 31. (Withdrawn) The optical apparatus according to any one of claims 16, 17 and 30, wherein said transparent member has a lens action.
- 32. (Withdrawn) The imaging system according to claim 16 or 17, which comprises an image pickup device and an imaging optical system including said variable-optical-characteristic optical element, wherein autofocusing or zooming is carried out by deformation of said optical surface.
- 33. (Withdrawn) The imaging system according to any one of claims 16, 17 and 30, which comprises an image pickup device and an imaging optical system including said variable-optical-characteristic optical element, wherein a contrast type of autofocusing is carried out by deformation of said optical surface.
- 34. (Withdrawn) The optical apparatus according to any one of claims 16, 17 or 30, which comprises a display device.
- 35. (Withdrawn) The optical apparatus according to any one of claims 16, 17 or 30, which comprises a lookup table for deforming the optical surface of said variable-optical-characteristic optical element.
- 36. (Withdrawn) The optical apparatus according to any one of claims 16, 17 or 30, which comprises a plurality of said variable-optical-characteristic optical elements, wherein zooming is carried out.
- 37. (Withdrawn) The optical apparatus according to any one of claims 16, 17 or 30, which is a cellular phone.
- 38. (Previously presented) The variable-optical-characteristic optical element according to claim 21, which is a varifocal lens using an electric field and a fluid.
- 39. (Canceled)